

WWW.PREMIUMFACTORY.EU



Fire Effects

Various flame shapes. Efficiency, quality & safety.



FIRESTAR

FireStar Evo 2



UE FireStar Evo 2 are equipped with 5 nozzles which permit to shoot individual or simultaneous fire shots, depending on the version, for amazing pyrotechnical effects creation.

A revolution is coming in pyrotechnics with UE Firestar Evo 2 efficiency and performance. Mighty effect to enhance creativity for your events.

This range proposes numerous pre-programmed flame effects with several settings possibilities in speed, and 5 flames scrolling. UE FireStar Evo 2 are also equipped with the worldwide exclusive flash effect you can set up in speed and scroll.

The FireStar Evo 2 is fitted with an Ethernet interface with Monitoring and Set up. An auto tank filler system is available as an option.

For more informations, please visit : www.ue-europe.com



FIRESTAR/**STICK**



FIRESTAR/**STICK**



FIRESTAR/**STICK**

MODELS	Classic 5	Premium 5	Classic 10	Premium 10
Dimensions	L 73 x W 49 x H 39 cm (without handle W 41,5 cm)	L 73 x W 49 x H 39 cm (without handle W 41,5 cm)	L 73 x W 49 x H 39 cm (without handle W 41,5 cm)	L 85 x W 49 x Ht 39 cm (without handle W 41,5 cm)
Weight	45 kg	45 kg	45 kg	53 kg
Power rating	920W – 4A – 230V – 50Hz 115V – 60Hz on demand	1150W – 5A – 230V – 50Hz 115V – 60Hz on demand	1150W – 5A – 230V – 50Hz 115V – 60Hz on demand	1840W – 8A – 230V – 50Hz 115V – 60Hz on demand
Tank	22L (+5L minimum overload)	22L (+5L minimum overload)	22L (+5L minimum overload)	22L (+5L minimum overload)
Fire Fluid Consumption	1,5L/mn	1,5 to 7,5L/mn	6L/mn	6 to 30L/mn
Flame Shape	Individual sticks	Up to 5 simultaneous or individual sticks	Individual sticks	Up to 5 simultaneous or individual sticks
Nozzle	5	5	5	5
Flame height (max indoor)	5m	5m	10m	10m





FIREJET

FireJet Evo 2



FireJet Evo 2 are equipped with 3 nozzles which permit to shoot 3 different kind of flames stick, torch and ball for unique pyrotechnical and visual effects.

Simple and efficient thanks to its integrated programs, FireJet Evo 2 will permit to level up your shows with and incredible artistic creativity

Firing and sequences speed may be adjusted live on DMX channels and by the included pre-programmed effects, moreover, FireJet proposes an worldwide exclusive flash effect.

The FireJet Evo 2 is fitted with an Ethernet interface with Monitoring and Set up. An auto tank filler system is available as an option.

For more informations, please visit : www.ue-europe.com



FIREJET/**STICK**




FIREJET/**TORCH**



FIREJET/**BALL**

MODELS	Mono 5	Duo 5	Trio 5	Mono 10	Duo 10	Trio 10
<i>Dimensions</i>	L 58 x W 42,5 x H 39 cm (without handle W 35 cm)	L 58 x W 42,5 x H 39 cm (without handle W 35 cm)	L 58 x W 42,5 x H 39 cm (without handle W 35 cm)	L 58 x W 42,5 x H 39 cm (without handle W 35 cm)	L 58 x W 42,5 x H 39 cm (without handle W 35 cm)	L 58 x W 42,5 x H 39 cm (without handle W 35 cm)
<i>Weight</i>	30 kg	30 kg	31 kg	30 kg	30 kg	31 kg
<i>Power rating</i>	690W – 3A – 230V – 50Hz 115V – 60Hz on demand	690W – 3A – 230V – 50Hz 115V – 60Hz on demand	920W – 4A – 230V – 50Hz 115V – 60Hz on demand	690W – 3A – 230V – 50Hz 115V – 60Hz on demand	690W – 3A – 230V – 50Hz 115V – 60Hz on demand	920W – 4A – 230V – 50Hz 115V – 60Hz on demand
<i>Tank</i>	15L (+2.5L min overload)	15L (+2.5L min overload)	15L (+2.5L min overload)	15L (+2.5L min overload)	15L (+2.5L min overload)	15L (+2.5L min overload)
<i>Fire Fluid Consumption</i>	1,5L/mn	1,5L to 2L/mn	1,5L to 5,5L/mn	6L/mn	5L to 6L/mn	5L to 6L/mn
<i>Flame Shape</i>	Stick	Stick & Torch	Stick, Torch & Ball	Stick	Stick & Torch	Stick, Torch & Ball
<i>Nozzle</i>	1	2	3	1	2	3
<i>Flame height (max indoor)</i>	5m	5m	5m	10m	10m	10m



WWW.PREMIUMFACTORY.EU

PREMIUM FACTORY SAS

1 Route Neuve, 71710 MONTCENIS – FRANCE

Office +33 805 69 13 27 | info@premiumfactory.eu