



The NOCOSPRAY® is a device from the NOCOTECH® range developed around a heating and ionizing turbine.

It allows to spread our disinfectants and insecticides in the form of dry mist and thus uniformly reach each cm² of the room treated.

Treatment of volumes from 10 to 1000 m³.

ADVANTAGES

- Lightweight (5.9 kg) and compact
- Easily transportable thanks to its handle
- Many suitable accessories
- Traceability system: thanks to the USB port integrated into the NOCOSPRAY®, it is
 possible to control each treatment carried out.







DIMENSIONS





REFERENCES

Item description	Reference
NOCOSPRAY 2 – volumes from 10 to 1000 m ³ - 230 V	PSDMNS

TECHNICAL CHARACTERISTICS

Main Features	
Device Weight	5,9Kg
Compatible packaging	1 Liter
Diffusion outputs	1
Turbine rotation speed	22 000 trs/min
Maximum volume to be treated	1000m³
Average liquid flow	1000 ml/h

Terms of use	
Temperature	0 to 40°C
Hygrometry	10 % to 90 %
Atmospheric pressure	800 to 1060 hectopascals

Electrical Specifications	
Voltage	230V
Power	1000W
Frequency	50 to 60 Hertz
Nominal current	4,5A





ACCESSORIES

To facilitate its use, the NOCOSPRAY® can be combined with several accessories. (Cf : NOCOTECH ACCESSORIES sheet)

COMPATIBILITY (in drum of 1L)



Disinfectants

Item description	Reference
NOCOLYSE 1L	PSDLNLNE1
NOCOLYSE FOOD 1L	PSDLNLFD1
NOCOLYSE ONE SHOT 1L	PSDLNLOS1



Insecticides

Item description	Reference
OXYPY 1L	PSILO1
OXYPY + 1L	PSILOP1



Air freshener

Item description	Reference
OXYDOR 1L	PSALOR1

The 1L cans are also available in 5L and 20L formats. They will allow you to fill your 1L cans.

