

SMOKEJET

SONICBOOM™ X

- \ Instant smoke generation, as short as 0.2s
- \ Excellent heating component design, fast temp. recovery after each firing
- \ Super fast smoke dissipate with original fluid
- \ Low power mode, lower power supply requirement
- \ Fluid driven, no need of CO₂ tank, safer and easy carry
- \ No generation of CO₂, environmental friendly
- \ Easy installation at any angles even place upside down
- \ Super long stable effects time, up to 12min after fill up
- \ SONICBOOM mode, sound and smoke double effects
- \ Pipeline integration technology, reliable and easy maintenance
- \ Unique constant pressure system, consistent smoke effect
- \ Independent smoke column color change



SPECIFICATIONS

- \ MODEL: SONICBOOM™ X
- \ DIMENSION: 482×408×215mm
- \ WEIGHT: 17.2kg
- \ VOLTAGE: 220V/110V, 50/60Hz
- \ FUSE: 15A/250V
- \ POWER: 3000W/1500W(220V), 2000W(110V)
- \ LED POWER: 5W×35pcs
- \ MAX OUTPUT DISTANCE: 10m
- \ MAX CONTINUOUS OUTPUT DURATION: 8s
- \ SMOKE OUTPUT: 55000cuft/min
- \ TANK CAPACITY: 2.5L
- \ FLUID CONSUMPTION RATE: 5min/L
- \ DMX CHANNELS: 1/11
- \ CONSUMABLES: FX-S

SMOKEJET

SONICBOOM™ PLUS

- \ Instant smoke generation, as short as 0.2s
- \ Excellent heating component design, fast temp. recovery after each firing
- \ Dual output design, faster and denser smoke
- \ Super fast smoke dissipate with original fluid
- \ Low power mode, lower power supply requirement
- \ Fluid driven, no need of CO₂ tank, safer and easy carry
- \ No generation of CO₂, environmental friendly
- \ Easy installation at any angles even place upside down
- \ Pipeline integration technology, reliable and easy maintenance
- \ Unique constant pressure system, consistent smoke effect
- \ Independent smoke column color change



SPECIFICATIONS

- \ MODEL: SONICBOOM™ PLUS
- \ DIMENSION: 500×324×325mm
- \ WEIGHT: 28kg
- \ VOLTAGE: 110V-220V,50/60Hz
- \ FUSE: 15A/250V(220V),18A/250V(110V)
- \ POWER: 3000W/1800W(220V),2400W/1800W(110V)
- \ LED POWER: 9W×38pcs
- \ MAX OUTPUT DISTANCE: 10m
- \ MAX CONTINUOUS OUTPUT DURATION: 10s
- \ OUTPUT: 80000cuft/min
- \ FLUID CONSUMPTION RATE: 3min/L
- \ TANK CAPACITY: 5L
- \ DMX CHANNEL: 1/11/14
- \ CONSUMABLES: FX-S



